III, the cor



BAYESIAN ABILITY ESTIMATION VIA 3PL WITH PARTIALLY KNOWN ITEM PARAMETERS

ROBERT K. TSUTAKAWA

AND

JANE JOHNSON

MATHEMATICAL SCIENCES TECHNICAL REPORT NO. 147

AUGUST 1988

DEPARTMENT OF STATISTICS UNIVERSITY OF MISSOURI COLUMBIA, MISSOURI 65211





Prepared under contract NO. N00014-85-K-0113, NR 150-535 with the Cognitive Science Program
Office of Naval Research

Approved for public release: distribution unlimited.

Peproduction in whole or part is permitted for
any purpose of the United States Government.

200

6c. ADDRESS 222 Math Columbia,	Sciences			7b. ADDRESS (City, State, and ZIP Code) 800 North Quincy Street Arlington, VA 22217-5000					
8a. NAME OF ORGANIZA	FUNDING / SPC ATION	INSORING	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER NO0014-85-K-0113					
8c. ADDRESS (City, State, and	ZIP Code)	<u> </u>	10. SOURCE OF FUNDING NUMBERS					
				PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.		
				61153N	PR04204	RR04204-01	4421-535		
12. PERSONAL Tsutakaw	author(s)	K.	ia 3PL with Par						
Technical 13b. TIME COVERED FROM 87Janl 1088Aug 31				14. DATE OF REPORT (Year, Month, Day) 19 88 Aug. 31			5. PAGE COUNT 34		
	NTARY NOTA								
17.	GROUP	SUB-GROUP	18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) ability estimation, Bayesian IRT, calibration, pretest,						
FIELD	GAOOF	308-0100	three-paramete		Lai III, U	rimiación, f	recest,		

Bayesian Ability Estimation via 3PL with Partially Known Item Parameters

ROBERT K. TSUTAKAWA AND JANE JOHNSON

Abstract

The conventional method of measuring ability, which is based on items with true parameters assumed to have values estimated by a pretest, is compared to a Bayesian method which deals with the uncertainties of such items. Computational expressions are presented for approximating the posterior mean and variance of ability under the three—parameter logistic (3PL) model. A 1987 ACT math test is used to demonstrate that the standard practice of using maximum likelihood or empirical Bayes techniques may seriously underestimate the uncertainty in the estimated ability when the pretest sample is only moderately large.

Key Words: ability estimation; Bayesian IRT; calibration; pretest; three-parameter logistic.

INTRODUCTION

A standard practice in mental testing is to score individuals using the responses to a set of test items which have previously been calibrated. When latent trait models are employed, the calibration involves estimating parameters of the model using a moderately large sample. The estimated parameters are then assumed to be the true values when the scoring is performed.

Even when the assumed model is correct, there are two sources of errors in this process. One is due to the responses of the individuals being scored and the other is due to the error in the calibration. Ignoring the second source could lead to inferential errors, particularly when the calibrating sample is not large. In many areas of testing large samples may not be readily available for calibration. Moreover, disclosure laws commonly require public dissemination of tests, making it necessary to have more items while the pool from which to draw the calibrating sample is limited.

This paper deals with the problem of estimating ability when there is uncertainty concerning the item parameters due to the limited size of the calibrating sample. Because of the sequential nature of first calibrating the test and then using it on the target population, the Bayesian paradigm for statistical inference is particularly attractive. This paper discusses how the uncertainty in the item parameters may be incorporated into the estimation and uncertainty of the abilities being measured.

The main idea will be demonstrated in terms of the three–parameter logistic model (3PL) which was introduced by Birnbaum (1968). The model specified that the probability of a correct response by an individual with real valued ability θ to a given item has the form

$$p_{\xi}(\theta) = c + \frac{1-c}{1+\exp\{-a(b-\theta)\}},$$
 (1)

where $\xi = (a,b,c)$ is an unknown item parameter, subject to $a>0, -\infty < b < \infty$, and 0 < c < 1. It

will be assumed that a test consisting of K items has already been given to a calibrating sample of n individuals and that the posterior mean or mode of the item parameters is already available. (See Mislevy & Bock, 1984, or Tsutakawa, 1988, for algorithms to compute the posterior mode.)

The uncertainty in the calibrated item parameters will be summarized in terms of the posterior covariance matrix, which is approximated by the inverse Hessian of the negative log posterior evaluated at the mode. The mode and covariance matrix will then be used in the approximation of the posterior mean and variance of ability presented by Tsutakawa & Soltys (1988) for the case of the two-parameter logistic model (2PL), a limiting case of 3PL when c=0 in (1).

The method will be illustrated on data from a 1987 American College Testing Program (ACT) math test. The results will be compared with the more conventional approaches using maximum likelihood as implemented by LOGIST (Wingersky, Barton, & Lord, 1982) and empirical Bayes based on item parameters estimated by marginal maximum likelihood (Bock & Aitken, 1981, and Tsutakawa, 1988). The main conclusion of the paper is that when there is uncertainty in the item parameter, both maximum likelihood and empirical Bayes underestimate the variance of ability and therefore produce interval estimates which are too narrow and misleading.

General Setup and Alternative Solutions

Consider a K item test where the items are scored $x_j=0$ or 1 according as the answer to the jth item is incorrect or correct, j=1,...,K. Assume local independence so that the probability of the response vector $\mathbf{x}=(x_1,...,x_K)$ for an individual with ability θ is

$$p_{\boldsymbol{\xi}}(\mathbf{x}|\boldsymbol{\theta}) = \prod_{j=1}^{K} p_{\boldsymbol{\xi}_{j}}^{\mathbf{x}_{j}}(\boldsymbol{\theta}) \{1 - p_{\boldsymbol{\xi}_{j}}(\boldsymbol{\theta})\}^{1 - \mathbf{x}_{j}},$$

(2) t

Dist

Avall and/o

For calibration, assume there are n individuals with abilities $\boldsymbol{\theta} = (\theta_1, ..., \theta_n)$ sampled from a N(0,1) distribution. If $\mathbf{y}_i = (\mathbf{y}_{i1}, ..., \mathbf{y}_{iK})$ is the response vector of the ith individual and $\mathbf{y} = (\mathbf{y}_1, ..., \mathbf{y}_n)$ the response matrix of the n individuals, the joint distribution of $(\mathbf{y}, \boldsymbol{\theta})$ is given by

$$p(\mathbf{y}, \boldsymbol{\theta}|\boldsymbol{\xi}) = \prod_{i=1}^{n} p_{\boldsymbol{\xi}}(\mathbf{y}_i|\boldsymbol{\theta}_i)\phi(\boldsymbol{\theta}_i), \tag{3}$$

where $p_{\xi}(y_i|\theta_i)$ is defined by (2) and ϕ is the N(0,1) pdf. The marginal distribution of y then has probability function

$$p(\mathbf{y}|\boldsymbol{\xi}) = \prod_{i=1}^{n} \int \phi(\boldsymbol{\theta}_{i}) p_{\boldsymbol{\xi}}(\mathbf{y}_{i}|\boldsymbol{\theta}_{i}) d\boldsymbol{\theta}_{i}. \tag{4}$$

If $p(\xi)$ is a prior pdf of ξ , the posterior of ξ is simply

$$p(\boldsymbol{\xi}|\mathbf{y}) \propto p(\boldsymbol{\xi})p(\mathbf{y}|\boldsymbol{\xi}).$$
 (5)

The main problem to be addressed in this paper is the estimation of the ability θ of a new individual with response vector \mathbf{x} , when we are given \mathbf{y} , the data from the calibration.

When ξ is known, a standard method of estimating θ is by maximum likelihood (ML), i.e., finding the value of θ which maximizes the likelihood function $\mathcal{L}(\theta|\xi) = p_{\xi}(\mathbf{x}|\theta)$. In this case the variance of the ML estimator $\hat{\theta}$ may be approximated by the inverse of the test information function, which is given for 3PL (Lord, 1980, p. 73) by

$$I(\theta) = \sum_{j=1}^{K} \frac{a_j^2 (1-c_j)}{(c_j + e^{z_j})(1+e^{-z_j})^2},$$
 (6)

where $z_j = a_j(\theta - b_j)$ and $(a_j, b_j, c_j) = \xi_j$. In the absence of known ξ , a common practice is to replace ξ by $\hat{\xi}_J$, a component of the joint ML estimate $(\hat{\xi}_J, \hat{\boldsymbol{\theta}}_J)$ based on the likelihood function

$$\mathcal{L}(\boldsymbol{\xi}, \boldsymbol{\theta}) = \prod_{i=1}^{n} p_{\boldsymbol{\xi}}(\mathbf{y}_i | \boldsymbol{\theta}_i)$$
 (7)

and to estimate the unknown new θ by the value of θ which maximizes the conditional likelihood function $\mathcal{L}(\theta|\hat{\xi}_J) = p_{\hat{\xi}_J}(\mathbf{x}|\theta)$.

When ξ is known, the standard Bayesian method (Birnbaum, 1969) of estimating θ is in terms of posterior mean

$$\tilde{\boldsymbol{\theta}} = E(\boldsymbol{\theta}|\mathbf{x}, \boldsymbol{\xi}) = \int \theta p(\boldsymbol{\theta}|\mathbf{x}, \boldsymbol{\xi}) d\boldsymbol{\theta}, \tag{8}$$

where, by Bayes theorem,

STATE OF THE PROPERTY OF THE P

$$p(\theta|\mathbf{x},\boldsymbol{\xi}) = \frac{p_{\boldsymbol{\xi}}(\mathbf{x}|\theta)\phi(\theta)}{\int p_{\boldsymbol{\xi}}(\mathbf{x}|\theta)\phi(\theta)d\theta}.$$
 (9)

In this case the measure of uncertainty is the posterior variance,

$$\tilde{\sigma}^2 = V(\theta | \mathbf{x}, \boldsymbol{\xi}) = \int (\theta - \tilde{\theta})^2 p(\tilde{\theta} | \mathbf{x}, \boldsymbol{\xi}) d\theta.$$
 (10)

(See Lord (1986) for an interesting comparison of the posterior mean and ML estimate of θ when ξ is known.)

In the absence of a known ξ , an empirical Bayes (EB) solution would be to replace ξ in (8) and (10) by the marginal maximum likelihood estimate, $\hat{\xi}_{M}$, based on (4). This type of approach has been criticized by Deeley & Lindley (1981) for its failure to account for the error in $\hat{\xi}_{M}$.

When ξ is unknown, the Bayesian solution is through the posterior distribution of θ given the data z = (x,y). The pdf of this distribution is given by

$$p(\theta|\mathbf{z}) = \int p(\theta|\mathbf{z}, \boldsymbol{\xi}) p(\boldsymbol{\xi}|\mathbf{z}) d\boldsymbol{\xi}, \tag{11}$$

where, from the conditional independence if x and y given ξ ,

$$p(\boldsymbol{\xi}|\mathbf{z}) = p(\mathbf{x}|\boldsymbol{\xi})p(\boldsymbol{\xi}|\mathbf{y})/p(\mathbf{x}|\mathbf{y})$$
(12)

and

ess • reperson reserved messesses in reperson in the reperson of the reserved in the reserved

$$p(\theta|\mathbf{z},\boldsymbol{\xi}) = p_{\boldsymbol{\xi}}(\mathbf{x}|\theta)\phi(\theta)/p(\mathbf{x}|\boldsymbol{\xi}). \tag{13}$$

Substituting (12) and (13) into (11) we have

$$p(\theta|\mathbf{z}) = \frac{\phi(\theta)}{p(\mathbf{x}|\mathbf{y})} \int p_{\boldsymbol{\xi}}(\mathbf{x}|\theta) p(\boldsymbol{\xi}|\mathbf{y}) d\boldsymbol{\xi}, \tag{14}$$

where we can now see how $p(\xi|y)$ serves as the prior for ξ subsequent to the calibration.

The posterior mean and variance of θ can be similarly expressed as

$$\mu = \int E(\theta|\mathbf{x}, \boldsymbol{\xi}) p(\boldsymbol{\xi}|\mathbf{z}) d\boldsymbol{\xi}$$
 (15)

and

$$\sigma^{2} = \int E\{(\theta - \mu)^{2} | \mathbf{x}, \boldsymbol{\xi}\} p(\boldsymbol{\xi} | \mathbf{z}) d\boldsymbol{\xi}.$$
 (16)

These expressions are difficult to work with numerically. Practical approximations are presented in the next section.

It is instructive to consider a decomposition of the posterior variance (16) in order to identify the sources of variability. Using a well known identity (e.g. DeGroot, 1986, p. 225) we have

$$\sigma^{2} = \int V(\theta|\boldsymbol{\xi}, \mathbf{z}) p(\boldsymbol{\xi}|\mathbf{z}) d\boldsymbol{\xi} + \int \{E(\theta|\boldsymbol{\xi}, \mathbf{z}) - E(\theta|\mathbf{z})\}^{2} p(\boldsymbol{\xi}|\mathbf{z}) d\boldsymbol{\xi}$$

$$= \int V(\theta|\boldsymbol{\xi}, \mathbf{x}) p(\boldsymbol{\xi}|\mathbf{z}) d\boldsymbol{\xi} + \int \{E(\theta|\boldsymbol{\xi}, \mathbf{x}) - E(\theta|\mathbf{z})\}^{2} p(\boldsymbol{\xi}|\mathbf{z}) d\boldsymbol{\xi}, \quad (17)$$

where we have used the fact that (θ, \mathbf{x}) and \mathbf{y} are conditionally independent given $\boldsymbol{\xi}$. Thus the posterior variance of θ may be interpreted as the average conditional posterior variance of θ given $\boldsymbol{\xi}$ plus the variance of the conditional posterior expectation of θ given $\boldsymbol{\xi}$ with respect to the posterior uncertainty in $\boldsymbol{\xi}$. The empirical Bayes variance approximates the first integral in (17) with (10) by replacing $\boldsymbol{\xi}$ with $\hat{\boldsymbol{\xi}}_{\mathbf{M}}$, but ignores the second. The second term is important when $\boldsymbol{\xi}$ is ill—determined after observing \mathbf{z} .

Bayesian Approximation

The approximation used to compute the posterior mean and variance of θ under the 2PL model by Tsutakawa & Soltys can be modified for 3PL. The approximation is a special case of Lindley's (1980) approximation to the posterior mean of a function of hyperparameters.

Suppose $w(\xi)$ is a function of the item parameter ξ whose expectation we wish to evaluate. Let w and w_{rs} denote the value of $w(\xi)$ and its second partial derivatives evaluated at the posterior mode $\hat{\xi}$. Let τ_{rs} denote the elements of the approximate posterior covariance matrix of ξ , where the approximation used is the inverse Hessian of

the negative log posterior evaluated at ξ . The approximation is then given by

$$\overline{\mathbf{w}} = \mathbf{w} + \frac{1}{2} \, \Sigma \, \mathbf{w}_{rs} \tau_{rs}. \tag{18}$$

When the posterior of ξ is normal, this is Lindley's approximation. For a heuristic justification of \overline{w} and discussion on other Bayesian approximations see Tsutakawa & Soltys.

To approximate the posterior mean of θ , use $\mathbf{w}(\xi) = \mathbf{E}(\theta|\mathbf{x},\xi)$ in (18). If the approximate mean has value m, the posterior variance of θ is similarly computed by using (18) again with $\mathbf{w}(\xi) = \mathbf{E}\{(\theta-\mathbf{m})^2|\mathbf{x},\xi\}$.

To apply this approximation in practice, we recommend replacing $p(\xi|z)$ by $p(\xi|y)$ in (15) and (16). This substitution will have a negligible effect since z contains data on only one additional individual. Moreover updating $p(\xi|z)$ for each new individual is not only costly but would change the scoring criterion from one person to the next so that two individuals with the same response x could have different estimates of θ . This substitution is obviously not necessary when the θ being estimated is for an individual in the calibration sample. Computational expression for w, w_{rs} and τ_{rs} needed for 3PL are summarized in the Appendices.

Numerical Results

The ability estimation will now be demonstrated using a sample of n=400 for calibration and an additional sample of 100 to estimate 100 θ . Both samples were drawn from a larger sample of 1987 ACT math test results where K=40. Due to the fair number of omitted responses, the samples were selected after deleting examinees who omitted the last item or more than 10% of the items.

The computation of the posterior mode is based on the EM algorithm (Dempster, Laird & Rubin, 1976) as implemented in Tsutakawa (1988) for the case in which the prior

of ξ is derived from a Dirichlet distribution based on data from a similar test given in 1981. This prior assigns a joint distribution to the probability of correct responses at three values of θ . When properly constrained, it induces a distribution on ξ . Although we use the same prior as Tsutakawa (1988), the data used here has been resampled from the same 1987 test after making the deletions mentioned above. We also use the parameterization $\xi_j = (b_j, c_j, d_j)$, where $d_j = \log a_j$, j=1,...,K, in order to enhance the asymptotic normality of the posterior distribution of ξ , a condition which would make our approximation closer to Lindley's.

Table 1 lists the posterior modes of the item parameters, together with the approximate standard deviations and within item correlations. The correlations between items are used in the computation but not listed since they are quite numerous. These results were used to compute the means and standard deviations of θ , for the 100 individuals, which are plotted in Figure 1. The standard deviations are lowest when the estimated θ are close to 0.25 and increase quite rapidly as the estimated θ departs from this central location. This general pattern is to be expected since tests of this type are generally designed to assess individuals whose abilities are close to the average.

In order to compare these results to those under ML and EB, the corresponding estimates of θ and their standard deviations were computed using the methods outlined above. Figure 1, which gives a plot of the values computed, shows that the standard deviations under EB tend to be considerably smaller than those under Bayes. For $\theta > .5$, the standard deviations under ML also tend to be considerably smaller than those under Bayes, but for $\theta < .5$, the two procedures have comparable standard deviations on the average.

In Figures 2 and 3 the ML and EB estimates of θ are plotted against the posterior means. There is a general agreement over the interval from about -1.2 to 0. However the posterior means in the interval from 0 to 2 tend to be larger than the other two estimates. For the more extreme values (which are listed but not plotted in Figure 2), there is a

tendency for the Bayes estimate to be pulled more towards the origin relative to ML. In fact there was one individual having a perfect score whose θ cannot be computed under ML.

The inferential effect that the different procedures have on the estimates and their standard deviations may be illustrated in terms of interval estimates, defined here as the estimate of $\theta \pm 2$ standard deviations. The end points of the interval estimates obtained by ML and EB are plotted against the end points of the Bayesian or posterior intervals in Figures 4 and 5 for the first 50 of the 100 examinees. It is quite apparent from these plots that both ML and EB produce substantially shorter intervals than the Bayes intervals in most cases. Since the intervals tend to become quite wide when the estimated θ departs from the origin, the intervals were converted to percentile intervals, with a percentile defined by $100 \ \phi(\theta)$ where ϕ is the N(0,1) cdf. The corresponding plots, shown in Figures 6 and 7, further accent the narrower width of the ML and EB intervals.

In order to explain the differences observed in these graphs it is important to consider the differences in the assumptions and information used. The Bayes and EB methods both assume a N(0,1) prior on θ . Thus the observed difference is not due to the prior on θ but the use or nonuse of certain information from the calibration phase. Under EB, the unknown ξ is replaced by its estimate, without accounting for the error in the estimate, resulting in a deflated standard deviation. On the other hand ML makes no distributional assumption about θ , suggesting that its intervals should be wider than Bayes (Lord, 1986). However the fact that the estimated ξ is treated as the true value again deflates the standard deviation, but not to the extent of EB.

Discussion

The main conclusion of this paper is that tests based on calibrations which produce imprecise estimates of item parameters and ignore this imprecision can lead to serious inferential errors. The discrepancy found here between the Bayes and conventional

methods for 3PL is more striking than that reported earlier by Tsutakawa & Soltys (1988) for 2PL.

In large scale testing the sample size for calibration is typically substantially larger than the 400 used here. However, increasing the size of the calibrating sample alone will not increase the precision of the ability estimates. The major component of the uncertainty, whether the inference is Bayesian or frequentist, is the randomness of the individual response pattern \mathbf{x} for a given θ and ξ . This uncertainty cannot be reduced without increasing the number of items in the test.

There is a need for better approximations which are not only more accurate but simple enough for routine use. Bayesian approximations, which are adaptable to modern computer technology are only beginning to appear and give promise for widespread Bayesian applications in testing.

For inferential purposes it is important to distinguish the sampling variance of the ability estimator for individuals with ability θ and the posterior variance of θ for an individual with response \mathbf{x} . The former may be interpreted as the variance before observing \mathbf{x} among these with ability θ and the latter as the (subjective) posterior variance after observing \mathbf{x} . Since θ is unknown, the former is unknown, but it is common practice to estimate it by replacing θ with its maximum likelihood estimate based on \mathbf{x} . Since this estimate is unreliable so is this variance estimate. On the other hand the posterior variance is a measure of uncertainty we have about a particular individual's θ after observing \mathbf{x} . The subjectivity of this measure enters only through the choice of the prior distribution for the item parameters. This subjectivity should not be a controversial issue when the choice of the prior is based on past tests, as in the illustration used here. If one is interested in the probable values of θ , after \mathbf{x} has been realized, the Bayesian approach is the logical choice.

Appendix A: Expressions for Computing the Empirical Information Matrix

To simplify the notation let $\xi_j = (\xi_{j1},\,\xi_{j2},\,\xi_{j3}) = (b_j,\,c_j,\,d_j)$

and
$$P_{ij} = p_{\xi_j}^{y_{ij}}(\theta) \{1-p_{\xi_j}(\theta)\}^{1-y_{ij}}$$
.

Now define

$$\begin{array}{rcl} \mathbf{g_{s}}(\mathbf{i},\mathbf{j},\theta) & = & \partial \mathrm{log} \mathbf{P_{ij}}/\partial \xi_{\mathbf{js}}, \\ & \mathbf{g_{st}}(\mathbf{i},\mathbf{j},\theta) & = & \partial^{2} \mathrm{log} \mathbf{P_{ij}}/\partial \xi_{\mathbf{js}}\partial \xi_{\mathbf{jt}}, \\ & \mathrm{and} & \\ & \mathbf{h_{st}}(\mathbf{i},\mathbf{j},\theta) & = & \{\partial^{2} \mathrm{log} \mathbf{P_{ij}}/\partial \xi_{\mathbf{js}}\partial \xi_{\mathbf{jt}}\}/\mathbf{P_{ij}}, \end{array}$$

for i = 1,...,n; j = 1,...,K; s, t = 1,2,3. We then have

$$\mathbf{h}_{\mathbf{s}\mathbf{t}}(\mathbf{i},\mathbf{j},\boldsymbol{\theta}) = \mathbf{g}_{\mathbf{s}\mathbf{t}}(\mathbf{i},\mathbf{j},\boldsymbol{\theta}) + \mathbf{g}_{\mathbf{s}}(\mathbf{i},\mathbf{j},\boldsymbol{\theta})\mathbf{g}_{\mathbf{t}}(\mathbf{i},\mathbf{j},\boldsymbol{\theta}). \tag{19}$$

Define, for notational convenience only,

$$\begin{array}{lll} \mathbf{z}_{\theta \mathbf{j}} & = & \exp(\mathbf{d}_{\mathbf{j}})(\theta - \mathbf{b}_{\mathbf{j}}), \\ \phi_{\theta \mathbf{j}} & = & \left\{1 + \exp(-\mathbf{z}_{\theta \mathbf{j}})\right\}^{-1}, \\ \psi_{\theta \mathbf{j}} & = & 1 - \phi_{\theta \mathbf{j}}, \\ \lambda_{\theta \mathbf{j}} & = & \left\{1 + c_{\mathbf{j}} \exp(-\mathbf{z}_{\theta \mathbf{j}})\right\}^{-1}, \\ \eta_{\theta \mathbf{j}} & = & \left\{c_{\mathbf{j}} + \exp(\mathbf{z}_{\theta \mathbf{j}})\right\}^{-1}. \end{array}$$

Then the first two derivatives of log P_{ij} may be expressed by

$$\begin{split} \mathbf{g}_{1}(\mathbf{i},\mathbf{j},\theta) &= &-\exp(\mathbf{d}_{\mathbf{j}})(\mathbf{y}_{\mathbf{i}\mathbf{j}}\lambda_{\theta\mathbf{j}}-\phi_{\theta\mathbf{j}}),\\ \mathbf{g}_{2}(\mathbf{i},\mathbf{j},\theta) &= &\mathbf{y}_{\mathbf{i}\mathbf{j}}[\eta_{\theta\mathbf{j}}-1/(c_{\mathbf{j}}-1)]+1/(c_{\mathbf{j}}-1),\\ \mathbf{g}_{3}(\mathbf{i},\mathbf{j},\theta) &= &\mathbf{z}_{\theta\mathbf{j}}(\mathbf{y}_{\mathbf{i}\mathbf{j}}\lambda_{\theta\mathbf{j}}-\phi_{\theta\mathbf{j}}),\\ \mathbf{g}_{11}(\mathbf{i},\mathbf{j},\theta) &= &\exp(2\mathbf{d}_{\mathbf{j}})(c_{\mathbf{j}}\mathbf{y}_{\mathbf{i}\mathbf{j}}\lambda_{\theta\mathbf{j}}\eta_{\theta\mathbf{j}}-\phi_{\theta\mathbf{j}}\psi_{\theta\mathbf{j}}),\\ \mathbf{g}_{12}(\mathbf{i},\mathbf{j},\theta) &= &\mathbf{y}_{\mathbf{i}\mathbf{j}}\exp(\mathbf{d}_{\mathbf{j}})\eta_{\theta\mathbf{j}}\lambda_{\theta\mathbf{j}}, \end{split}$$

$$\begin{split} \mathbf{g}_{13}(\mathbf{i},\mathbf{j},\theta) &= &-\exp(\mathbf{d}_{\mathbf{j}})(\mathbf{y}_{\mathbf{j}}\lambda_{\theta\mathbf{j}}-\phi_{\theta\mathbf{j}}) + \mathbf{z}_{\theta\mathbf{j}}\exp(\mathbf{d}_{\mathbf{j}})[\phi_{\theta\mathbf{j}}\psi_{\theta\mathbf{j}}-\mathbf{c}_{\mathbf{j}}\mathbf{y}_{\mathbf{i}\mathbf{j}}\lambda_{\theta\mathbf{j}}\eta_{\theta\mathbf{j}}],\\ \mathbf{g}_{22}(\mathbf{i},\mathbf{j},\theta) &= &-[\mathbf{y}_{\mathbf{i}\mathbf{j}}\eta_{\theta\mathbf{j}}^2 + (1-\mathbf{y}_{\mathbf{i}\mathbf{j}})/(\mathbf{c}_{\mathbf{j}}-1)^2],\\ \mathbf{g}_{23}(\mathbf{i},\mathbf{j},\theta) &= &-\mathbf{z}_{\theta\mathbf{j}}\mathbf{y}_{\mathbf{i}\mathbf{j}}\lambda_{\theta\mathbf{j}}\eta_{\theta\mathbf{j}},\\ \mathbf{g}_{33}(\mathbf{i},\mathbf{j},\theta) &= &\mathbf{z}_{\theta\mathbf{j}}^2(\mathbf{c}_{\mathbf{j}}\mathbf{y}_{\mathbf{i}\mathbf{j}}\lambda_{\theta\mathbf{j}}\eta_{\theta\mathbf{j}}-\phi_{\theta\mathbf{j}}\psi_{\theta\mathbf{j}}) + \mathbf{z}_{\theta\mathbf{j}}(\mathbf{y}_{\mathbf{i}\mathbf{j}}\lambda_{\theta\mathbf{j}}-\phi_{\theta\mathbf{j}}). \end{split}$$

Then $h_{st}(i,j,\theta)$ may be expressed in terms of the expressions for g_s and g_{st} through equation (19).

Now define the conditional posterior expectations (given ξ) of these functions by

$$\begin{split} \overline{\mathbf{g}}_{\mathbf{g}}(\mathbf{i},\mathbf{j}) &= \int_{-\infty}^{\infty} \mathbf{g}_{\mathbf{g}}(\mathbf{i},\mathbf{j},\boldsymbol{\theta}) \mathbf{p}(\boldsymbol{\theta}|\mathbf{y}_{\mathbf{i}},\boldsymbol{\xi}) \mathrm{d}\boldsymbol{\theta}, \\ \overline{\mathbf{h}}_{\mathbf{g}\mathbf{t}}(\mathbf{i},\mathbf{j}) &= \int_{-\infty}^{\infty} \mathbf{h}_{\mathbf{g}\mathbf{t}}(\mathbf{i},\mathbf{j},\boldsymbol{\theta}) \mathbf{p}(\boldsymbol{\theta}|\mathbf{y}_{\mathbf{i}}\boldsymbol{\xi}) \mathrm{d}\boldsymbol{\theta}, \\ \overline{\mathbf{d}}_{\mathbf{g}\mathbf{t}}(\mathbf{i},\mathbf{j},\mathbf{j}') &= \int_{-\infty}^{\infty} \mathbf{g}_{\mathbf{g}}(\mathbf{i},\mathbf{j},\boldsymbol{\theta}) \mathbf{g}_{\mathbf{t}}(\mathbf{i},\mathbf{j}',\boldsymbol{\theta}) \mathbf{p}(\boldsymbol{\theta}|\mathbf{y}_{\mathbf{i}},\boldsymbol{\xi}) \mathrm{d}\boldsymbol{\theta}, \end{split}$$

for i=1,...,n; j,j'=1,...,K; and s,t=1,2,3, where $p(\theta|\mathbf{y}_i,\xi)=p_{\boldsymbol{\xi}}(\mathbf{y}_i)\phi(\theta)/p(\mathbf{y}_i|\boldsymbol{\xi}),$ the posterior pdf of θ_i given $\mathbf{y}_i=(\mathbf{y}_{i1},...,\mathbf{y}_{iK})$

Then, finally, the first and second partial derivatives of the loglikelihood function $L(\xi) = \log p(y|\xi)$ are given by

$$\partial L(\xi)/\partial \xi_{jS} = \sum_{i=1}^{n} \overline{g}_{s}(i,j),$$

and

$$\partial^2 L(\xi)/\partial \xi_{js} \partial \xi_{j't} = \begin{cases} \sum\limits_{i=1}^n \{\overline{h}_{st}(i,j) - \overline{g}_s(i,j) \overline{g}_t(i,j)\} \text{ if } j = j' \\ \sum\limits_{i=1}^n \{\overline{d}_{st}(i,j,j') - \overline{g}_s(i,j) \overline{g}_t(i,j')\} \text{ if } j \neq j', \end{cases}$$

for i=1,...,n; j,j'=1,...,K; s,t=1,2,3. The empirical information matrix is the negative of

the 3Kx3K 2nd derivative matrix, i.e.,

$$I(\boldsymbol{\xi}) = [-\partial^2 L(\boldsymbol{\xi})/\partial \boldsymbol{\xi}_{js} \partial \boldsymbol{\xi}_{j't}].$$

To complete the expressions for the Hessian of the negative log posterior, we must add to $I(\xi)$ the second partials of the negative log prior, expressions for which are summarized in Tsutakawa (1988). A quadrature method for the required numerical integration is given in Tsutakawa (1984).

Appendix B: Expressions for Computing the Second Derivatives of $w(\xi)$

The function $w(\xi)$ used in the approximations have the form,

$$\mathbf{w}(\boldsymbol{\xi}) = \left[\mathbf{f}(\boldsymbol{\theta}_{\mathbf{i}}) \mathbf{p}(\boldsymbol{\theta}_{\mathbf{i}} | \mathbf{y}_{\mathbf{i}}, \boldsymbol{\xi}) d\boldsymbol{\theta}_{\mathbf{i}}, \right.$$

where $f(\theta_i) = \theta_i$ for the posterior mean and $f(\theta_i) = (\theta_i - m)^2$ for the posterior variance. By interchanging the order of differentiation and integration, the required second derivatives of $w(\xi)$ evaluated at $\xi = \hat{\xi}$ have the form

$$\mathbf{w}_{st}(\mathbf{j},\mathbf{j'}) = \int \!\! \mathbf{f}(\boldsymbol{\theta}_i) \{ \partial^2 \!\! \, \mathbf{p}(\boldsymbol{\theta}_i | \mathbf{y}_i, \hat{\boldsymbol{\xi}}) / \partial \boldsymbol{\xi}_{js} \partial \boldsymbol{\xi}_{j't} \} \mathrm{d} \boldsymbol{\theta}_i,$$

for j, j' = 1,...,K and s, t = 1,2,3. (Additional subscripts have been introduced here in order to identify the nesting of the item parameters within items.)

Upon evaluating the second derivatives of $p(\theta_i|\mathbf{y}_i, \boldsymbol{\xi})$, the computational expressions reduce to

$$\begin{split} \mathbf{w}_{\mathrm{st}}(\mathbf{j}, \mathbf{j}) &= \mathbf{E}\{\mathbf{f}(\theta_{\mathbf{i}}) \mathbf{h}_{\mathrm{st}}(\mathbf{i}, \mathbf{j}, \theta_{\mathbf{i}})\} - \overline{\mathbf{g}}_{\mathbf{t}}(\mathbf{i}, \mathbf{j}) \mathbf{E}\{\mathbf{f}(\theta_{\mathbf{i}}) \mathbf{g}_{\mathbf{g}}(\mathbf{i}, \mathbf{j}, \theta_{\mathbf{i}})\} - \overline{\mathbf{g}}_{\mathbf{g}}(\mathbf{i}, \mathbf{j}) \mathbf{E}\{\mathbf{f}(\theta_{\mathbf{i}}) \mathbf{g}_{\mathbf{t}}(\mathbf{i}, \mathbf{j}, \theta_{\mathbf{i}})\} \\ &+ \mathbf{E}\{\mathbf{f}(\theta_{\mathbf{i}})\} \{2\overline{\mathbf{g}}_{\mathbf{g}}(\mathbf{i}, \mathbf{j}) \overline{\mathbf{g}}_{\mathbf{t}}(\mathbf{i}, \mathbf{j}) - \overline{\mathbf{h}}_{\mathbf{st}}(\mathbf{i}, \mathbf{j})\} \\ &\text{and, for } \mathbf{j} \neq \mathbf{j}', \\ \mathbf{w}_{\mathbf{gt}}(\mathbf{j}, \mathbf{j}') &= \mathbf{E}\{\mathbf{f}(\theta_{\mathbf{i}}) \mathbf{g}_{\mathbf{g}}(\mathbf{i}, \mathbf{j}, \theta_{\mathbf{i}}) \mathbf{g}_{\mathbf{t}}(\mathbf{i}, \mathbf{j}', \theta_{\mathbf{i}})\} - \overline{\mathbf{g}}_{\mathbf{t}}(\mathbf{i}, \mathbf{j}') \mathbf{E}\{\mathbf{f}(\theta_{\mathbf{i}}) \mathbf{g}_{\mathbf{g}}(\mathbf{i}, \mathbf{j}, \theta_{\mathbf{i}})\} - \overline{\mathbf{g}}_{\mathbf{g}}(\mathbf{i}, \mathbf{j}', \theta_{\mathbf{i}})\} \\ &+ \mathbf{E}\{\mathbf{f}(\theta_{\mathbf{i}})\} \{2\overline{\mathbf{g}}_{\mathbf{g}}(\mathbf{i}, \mathbf{j}) \overline{\mathbf{g}}_{\mathbf{t}}(\mathbf{i}, \mathbf{j}') - \overline{\mathbf{d}}_{\mathbf{gt}}(\mathbf{i}, \mathbf{j}, \mathbf{j}')\} \end{split}$$

RESOLUTION OF THE PROPERTY OF

for j, j' = 1,...,K and s, t = 1,2,3, where E{} denotes expectation with respect to the posterior pdf $p(\theta_i|\mathbf{y}_i,\hat{\boldsymbol{\xi}})$.

References

- Birnbaum, A. (1968). Some latent trait models and their use in inferring an examinee's ability. In F.M. Lord & M.R. Novick (Eds.), Statistical Theories of Mental Test Scores. Reading, MA: Addison Wesley.
- Birnbaum, A. (1969). Statistical theory for logistic mental test models with prior distribution of ability. *Journal of Mathematical Psychology*, 6, 258-276.
- Bock, R.D., & Aitken, M. (1981). Marginal maximum likelihood estimation of item parameters: An application of an EM algorithm. *Psychometrika*, 46, 443-459.
- Deeley, J.J. and Lindley D.V. (1981). Bayes empirical Bayes. Journal of the American Statistical Association. 76, 833-841.
- DeGroot, M.H. (1986). Probability and Statistics, 2nd ed. Reading MA: Addison-Wesley.
- Dempster, A.P., Laird, N.M. & Rubin, D.B. (1977). Maximum likelihood from incomplete data via the EM algorithm (with discussion). *Journal of the Royal Statistical Society*, Series B, 39, 1–38.
- Lindley, D.V. (1980). Approximate Bayesian methods Trabajos Estadistica 31, 223-237.
- Lord, F.M. (1980). Applications of Item Response Theory to Practical Testing Problems.

 Hillsdale, NJ:Erlbaum.
- Lord, F.M. (1986). Maximum likelihood and Bayesian parameter estimation in item response theory. *Journal of Educational Measurement*, 23, 157–162.
- Mislevy, R.J., & Bock, R.D. (1984). BILOG: Item analysis and test scoring with binary logistic models. Mooresville, IN: Scientific Software.
- Tsutakawa, R.K. (1984). Estimation of two-parameter logistic item response curves.

 Journal of Educational Statistics 9, 263-276.
- Tsutakawa, R.K. (1988). Dirichlet prior in Bayesian estimation of item response curves.

 Mathematical Sciences Technical Report No. 143, Department of Statistics,

 University of Missouri, Columbia, MO

Wingersky, M.S., Barton, M.A. & Lord, F.M. (1982). LOGIST user's guide. Princeton, NJ: Educational Testing Service.

Summary of Posterior Distribution of Item Parameters

TABLE 1

		Pos	Posterior Mean		Pos	Posterior SD			Posterior Correlation		
T	Item	•		•	•	*				_	
Item	Score	<u>b</u>	<u> </u>	<u>d</u>	_Ь	<u> </u>	<u>d</u>	<u>bc</u>	bd	<u>cd</u>	
1	327	-1.43	0.01	0.10	0.87	0.53	0.21	0.97	0.81	0.69	
2	325	-0.02		0.69		0.09			0.77		
3	304	-0.77	0.12	0.32	0.53			0.96	_	0.78	
4	304	-0.05	0.41	1.42	0.11		0.23		0.62		
5	298	-0.17	0.36	0.62	0.31	0.13	0.25		0.82		
6	294	-0.61	0.05	0.63	0.30	0.19	0.20		0.85		
7	279	0.07	0.35	0.96	0.14	0.07	0.20		0.61		
8	276	-0.34		0.57	0.27	0.14	0.21	0.93		0.76	
9	274		0.39	1.16	0.12			0.69	0.55		
10	274	-0.31		0.48	0.31	0.16	0.21	0.94	0.82	0.77	
11	265	-0.49		0.39	0.34		0.20		0.84		
12	254	0.74		0.74	0.17				0.38		
13	253	0.13	0.26	0.57	0.19			0.85	0.64	0.63	
14	245	0.18	0.24	0.52	0.23			0.90	0.74	0.75	
15	240	0.27	0.25	0.29	0.33			0.93	0.76	0.78	
16	234	0.45	0.31	0.98	0.12		0.22			0.56	
17	225		0.11	0.91	0.11		0.16	0.72	0.55	0.58	
18	224	0.12		1.01		0.06	0.18		0.61	0.65	
19	216		0.28	0.87		0.06			0.51	0.63	
20	215		0.22	0.77		0.06			0.56	0.65	
21	213	0.42		0.98		0.05		0.70		0.61	
22	211	0.44		0.65		0.07			0.58	0.70	
23 24	205 195	0.37		1.07		0.04				0.54	
25	195	0.70		0.61		0.06				0.69	
26	189	0.33		0.60		0.06			0.55		
27	187	1.03 0.46		0.39		0.06			0.25		
28	184	0.46		0.49		0.07			0.53		
29	180	0.59		0.85		0.05		0.63		0.59	
30	178	0.83		0.76 0.73		0.05			0.42		
31	174	0.43				0.05		0.62		0.61	
32	172	0.52		-0.12 0.80		0.21			0.83		
33	168	1.05	0.10	1.24	0.10	0.05			0.39		
34	166	0.60		1.24		0.03			-0.11		
35	160	0.99		0.67		0.03			0.08		
36	151	1.87		0.41		0.04		0.63			
37	149	0.98		0.41		0.04		0.01 0.41			
38	147	0.68		1.18		0.03		0.41			
39	144	0.79		0.93		0.03		0.32			
40											
40	133	0.88	0.09	0.72	0.10	0.04	0.20	0.46			




FIGURE 1 FISTER heta sand Standard Deviations Under Three Procedures.




FIGURE 2 Maximum Likelihood vs. Bayes Estimates of heta .





Figure 5. Empirical Bayes vs. Bayes Estimates of heta.



Interval Estimates of hetaunder Maximum Likelihood vs. Bayes for 50 Examinees.




FIGURE 5 Interval Estimates of θ under Empirical Bayes vs. Bayes for 50 Examinees.

AND THE THE THE PROPERTY OF STREET OF STREET, STREET,




FIGURE 6 Interval Estimates of Percentile under ML vs. Bayes for 50 Examinees.




FIGURE 7 Interval Estimates of Percentile under Empirical Bayes vs. Bayes for 50 Examinees.

University of Missouri-Columbia/Tsutakawa

Dr. Terry Ackerman American College Testing Programs P.O. Box 168 Iowa City, IA 52243

Dr. Robert Ahlers Code N711 Human Factors Laboratory Naval Training Systems Center Orlando, FL 32813

Dr. James Algina 1403 Norman Hall University of Florida Gainesville, FL 32605

Dr. Erling B. Ancersen Department of Statistics Studiestraede 6 1455 Copenhagen DENMARK

Dr. Eva L. Baker
UCLA Center for the Study
of Evaluation
145 Moore Hall
University of California
Los Angeles, CA 90024

Dr. Isaac Bejar Mail Stop: 10-R Educational Testing Service Rosedale Road Princeton, NJ 08541

Dr. Menucha Birenbaum School of Education Tel Aviv University Ramat Aviv 69978 ISRAEL

Dr. Arthur S. Blaiwes Code N712 Naval Training Systems Center Orlando, FL 32813-7100

Dr. Bruce Bloxom
Defense Manpower Data Center
550 Camino El Estero,
Suite 200
Monterey, CA 93943-3231

Dr. R. Darrell Bock University of Chicago NORC 6030 South Ellis Chicago, IL 60637

Cdt. Arnold Bohrer
Sectie Psychologisch Onderzoek
Rekruterings-En Selectiecentrum
Kwartier Koningen Astrid
Bruijnstraat
1120 Brussels, BELGIUM

Dr. Robert Breaux Code 7B Naval Training Systems Center Orlando, FL 32813-7100

Dr. Robert Brennan American College Testing Programs P. O. Box 168 Iowa City, IA 52243

Dr. James Carlson American College Testing Program P.O. Box 168 Iowa City, IA 52243

Dr. John B. Carroll 409 Elliott Rd., North Chapel Hill, NC 27514

Dr. Robert M. Carroll Chief of Naval Operations OP-01B2 Washington, DC 20350

Dr. Raymond E. Christal UES LAMP Science Advisor AFHRL/MUEL Brooks AFB, TX 78235

Dr. Norman Cliff Department of Psychology Univ. of So. California Los Angeles, CA 90089-1061 Director,
Manpower Support and
Readiness Program
Center for Naval Analysis
2000 North Beauregard Street
Alexandria, VA 22311

Dr. Stanley Collyer Office of Naval Technology Code 222 800 N. Quincy Street Arlington, VA 22217-5000

Dr. Hans F. Crombag Faculty of Law University of Limburg P.O. Box 616 Maastricht The NETHERLANDS 6200 MD

Dr. Timothy Davey Educational Testing Service Princeton, NJ 08541

Dr. C. M. Dayton
Department of Measurement
Statistics & Evaluation
College of Education
University of Maryland
College Park, MD 20742

Dr. Ralph J. DeAyala Measurement, Statistics, and Evaluation Benjamin Bldg., Rm. 4112 University of Maryland College Park, MD 20742

Dr. Dattprasad Divgi Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268

Dr. Hei-Ki Dong Bell Communications Research 6 Corporate Place PYA-1K226 Piscataway, NJ 08854 Dr. Fritz Drasgow University of Illinois Department of Psychology 603 E. Daniel St. Champaign, IL 61820

Defense Technical Information Center Cameron Station, Bldg 5 Alexandria, VA 22314 Attn: TC (12 Copies)

Dr. Stephen Dunbar 224B Lindquist Center for Measurement University of Iowa Iowa City, IA 52242

Dr. James A. Earles Air Force Human Resources Lab Brooks AFB, TX 78235

Dr. Kent Eaton Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333

Dr. John M. Eddins
University of Illinois
252 Engineering Research
Laboratory
103 South Mathews Street
Urbana, IL 61801

Dr. Susan Embretson University of Kansas Psychology Department 426 Fraser Lawrence, KS 66045

Dr. George Englehard, Jr. Division of Educational Studies Emory University 210 Fishburne Bldg. Atlanta, GA 30322

Dr. Benjamin A. Fairbank Performance Metrics, Inc. 5825 Callaghan Suite 225 San Antonio, TX 78228 Dr. P-A. Federico Code 51 NPRDC San Diego, CA 92152-6800

Dr. Leonard Feldt Lindquist Center for Measurement University of Iowa Iowa City, IA 52242

Dr. Richard L. Ferguson American College Testing P.O. Box 168 Iowa City, IA 52243

Dr. Gerhard Fischer Liebiggasse 5/3 A 1010 Vienna AUSTRIA

Dr. Myron Fisch! U.S. Army Headquarters DAPE-MRR The Pentagon Washington, DC 20310-0300

Prof. Donald Fitzgerald University of New England Department of Psychology Armidale, New South Wales 2351 AUSTRALIA

Mr. Paul Foley Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. Alfred R. Fregly AFOSR/NL, Bldg. 410 Bolling AFB, DC 20332-6448

Dr. Robert D. Gibbons Illinois State Psychiatric Inst. Rm 529W 1601 W. Taylor Street Chicago, IL 60612

Dr. Janice Gifford University of Massachusetts School of Education Amherst, MA 01003 Dr. Robert Glaser Learning Research & Development Center University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15260

Dr. Bert Green
Johns Hopkins University
Department of Psychology
Charles & 34th Street
Baltimore, MD 21218

DORNIER GMBH
P.O. Box 1420
D-7990 Friedrichshafen 1
WEST GERMANY

Dr. Ronald K. Hambleton
University of Massachusetts
Laboratory of Psychometric
and Evaluative Research
Hills South, Room 152
Amherst, MA 01003

Dr. Delwyn Harnisch University of Illinois 51 Gerty Drive Champaign, IL 61820

Dr. Grant Henning Senior Research Scientist Division of Measurement Research and Services Educational Testing Service Princeton, NJ 08541

Ms. Rebecca Hetter Navy Personnel R&D Center Code 63 San Diego, CA 92152-6800

Dr. Paul W. Holland Educational Testing Service, 21-T Rosedale Road Princeton, NJ 08541

Prof. Lutz F. Hornke Institut fur Psychologie RWTH Aachen Jaegerstrasse 17/19 D-5100 Aachen WEST GERMANY Dr. Paul Horst 677 G Street, #184 Chula Vista, CA 92010

Mr. Dick Hoshaw OP-135 Arlington Annex Room 2834 Washington, DC 20350

Dr. Lloyd Humphreys University of Illinois Department of Psychology 603 East Daniel Street Champaign, IL 61820

Dr. Steven Hunka 3-104 Educ. N. University of Alberta Edmonton, Alberta CANADA T6G 2G5

Dr. Huynh Huynh College of Education Univ. of South Carolina Columbia, SC 29208

Dr. Robert Jannarone Elec. and Computer Eng. Dept. University of South Carolina Columbia, SC 29208

Dr. Douglas H. Jones Thatcher Jones Associates P.O. Box 6640 10 Trafalgar Court Lawrenceville, NJ 08648

Dr. Milton S. Katz
European Science Coordination
Office
U.S. Army Research Institute
Box 65
FPO New York 09510-1500

Prof. John A. Keats
Department of Psychology
University of Newcastle
N.S.W. 2308
AUSTRALIA

Dr. G. Gage Kingsbury Portland Public Schools Research and Evaluation Department 501 North Dixon Street P. O. Box 3107 Portland, OR 97209-3107

Dr. William Koch Box 7246, Meas. and Eval. Ctr. University of Texas-Austin Austin. FX 78703

Or. James Kraatz Computer-based Education Research Laboratory University of Littures Urbana, IL 61801

Dr. Leonard Kroeker Navy Personnel R&D Center Code 62 San Diego, CA 92152-6800

Dr. Jerry Lehnus Defense Manpower Data Center Suite 400 1600 Wilson Blvd Rosslyn, VA 22209

Dr. Thomas Leonard University of Wisconsin Department of Statistics 1210 West Dayton Street Madison, WI 53705

Dr. Michael Levine Educational Psychology 210 Education Bldg. University of Illinois Champaign, IL 61801

Dr. Charles Lewis Educational Testing Service Princeton, NJ 08541-0001

Dr. Robert L. Linn Campus Box 249 University of Colorado Boulder, CO 80309-0249 Dr. Robert Lockman Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268

Dr. Frederic M. Lord Educational Testing Service Princeton, NJ 08541

Dr. George B. Macready
Department of Measurement
Statistics & Evaluation
College of Education
University of Maryland
College Park, MD 20742

Dr. Gary Marco Stop 31-E Educational Testing Service Princeton, NJ 08451

Dr. James R. McBride The Psychological Corporation 1250 Sixth Avenue San Diego, CA 92101

Dr. Clarence C. McCormick HQ, USMEPCOM/MEPCT 2500 Green Bay Road North Chicago, IL 60064

Dr. Robert McKinley
Educational Testing Service
16-T
Princeton, NJ 08541

Dr. James McMichael Technical Director Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. Barbara Means SRI International 333 Ravenswood Avenue Menlo Park, CA 94025

Dr. Robert Mislevy Educational Testing Service Princeton, NJ 08541 Dr. William Montague NPRDC Code 13 San Diego, CA 92152-6800

Ms. Kathleen Moreno Navy Personnel R&D Center Code 62 San Diego, CA 92152-6800

Headquarters Marine Corps Code MPI-20 Washington, DC 20380

Dr. W. Alan Nicewander University of Oklahoma Department of Psychology Norman, OK 73071

Deputy Technical Director NPRDC Code 01A San Diego, CA 92152-6800

Director, Training Laboratory, NPRDC (Code 05) San Diego, CA 92152-6800

Director, Manpower and Personnel Laboratory, NPRDC (Code 06) San Diego, CA 92152-6800

Director, Human Factors & Organizational Systems Lab, NPRDC (Code 07) San Diego, CA 92152-6800

Library, NPRDC Code P201L San Diego, CA 92152-6800

Commanding Officer, Naval Research Laboratory Code 2627 Washington, DC 20390

Dr. Harold F. O'Neil, Jr.
School of Education - WPH 801
Department of Educational
Psychology & Technology
University of Southern California
Los Angeles, CA 90089-0031

Dr. James B. Olsen WICAT Systems 1875 South State Street Orem, UT 84058

Office of Naval Research, Code 1142CS 800 N. Quincy Street Arlington, VA 22217-5000 (6 Copies)

Office of Naval Research, Code 125 800 N. Quincy Street Arlington, VA 22217-5000

Assistant for MPT Research,
Development and Studies
OP 01B7
Washington, DC 20370

Dr. Judith Orasanu Basic Research Office Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333

Dr. Jesse Orlansky Institute for Defense Analyses 1801 N. Beauregard St. Alexandria, VA 22311

Dr. Randolph Park Army Research Institute 5001 Eisenhower Blvd. Alexandria, VA 22333

Wayne M. Patience American Council on Education GED Testing Service, Suite 20 One Dupont Circle, NW Washington, DC 20036

Dr. James Paulson Department of Psychology Portland State University P.O. Box 751 Portland, OR 97207

Dept. of Administrative Sciences Code 54 Naval Postgraduate School Monterey, CA 93943-5026 Department of Operations Research, Naval Postgraduate School Monterey, CA 93940

Dr. Mark D. Reckase ACT P. O. Box 168 Iowa City, IA 52243

Dr. Malcolm Ree AFHRL/MOA Brooks AFB, TX 78235

Dr. Barry Riegelhaupt HumRRO 1100 South Washington Street Alexandria, VA 22314

Dr. Carl Ross CNET-PDCD Building 90 Great Lakes NFC, IL 60088

Dr. J. Ryan Department of Education University of South Carolina Columbia, SC 29208

Dr. Fumiko Samejima Department of Psychology University of Tennessee 310B Austin Peay Bldg. Knoxville, TN 37916-0900

Mr. Drew Sands NPRDC Code 62 San Diego, CA 92152-6800

Lowell Schoer
Psychological & Quantitative
Foundations
College of Education
University of Iowa
Iowa City, IA 52242

Dr. Mary Schratz Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. Dan Segall Navy Personnel R&D Center San Diego, CA 92152

University of Missouri-Columbia/Tsutakawa

Dr. W. Steve Sellman CASD(MRA&L) 28269 The Pentagon Washington, DC 20301

Dr. Kazuo Shigemasu 7-9-24 Kugenuma-Kaigan Fujisawa 251 JAPAN

Dr. William Sims Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268

Dr. H. Wallace Sinaiko
Manpower Research
and Advisory Services
Smithsonian Institution
801 North Pitt Street, Suite 120
Alexandria, VA 22314-1713

Dr. Richard E. Snow School of Education Stanford University Stanford, CA 94305

Dr. Richard C. Sorensen Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. Paul Speckman University of Missouri Department of Statistics Columbia, MO 65201

Dr. Judy Spray ACT P.O. Box 168 Iowa City, IA 52243

Dr. Martha Stocking Educational Testing Service Princeton, NJ 08541

Dr. William Stout University of Illinois Department of Statistics 101 Illini Hall 725 South Wright St. Champaign, IL 61820 Dr. Hariharan Swaminathan Laboratory of Psychometric and Evaluation Research School of Education University of Massachusetts Amherst, MA 01003

Mr. Brad Sympson Navy Personnel R&D Center Code-62 San Diego, CA 92152-6800

Dr. John Tangney AFOSR/NL, Bldg. 410 Bolling AFB, DC 20332-6448

Dr. Kikumi Tatsuoka CERL 252 Engineering Research Laboratory 103 S. Mathews Avenue Urbana, IL 61801

Dr. Maurice Tatsuoka 220 Education Bldg 1310 S. Sixth St. Champaign, IL 61820

Dr. David Thissen
Department of Psychology
University of Kansas
Lawrence, KS 66044

Mr. Gary Thomasson University of Illinois Educational Psychology Champaign, IL 61820

Dr. Robert Tsutakawa University of Missouri Department of Statistics 222 Math. Sciences Bldg. Columbia, MO 65211

Dr. Ledyard Tucker University of Illinois Department of Psychology 603 E. Daniel Street Champaign, IL 61820 Dr. Vern W. Urry Personnel R&D Center Office of Personnel Management 1900 E. Street, NW Washington, DC 20415

Dr. David Vale Assessment Systems Corp. 2233 University Avenue Suite 440 St. Paul, MN 55114

Dr. Frank L. Vicino Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. Howard Wainer Educational Testing Service Princeton, NJ 08541

Dr. Ming-Mei Wang Lindquist Center for Measurement University of Iowa Iowa City, IA 52242

Dr. Thomas A. Warm Coast Guard Institute P. O. Substation 18 Oklahoma City, OK 73169

Dr. Brian Waters HumRRO 12908 Argyle Circle Alexandria, VA 22314

Cr. David J. Weiss N660 Elliott Hall University of Minnesota 75 E. River Road Minneapolis, MN 55455-0344

Dr. Ronald A. Weitzman Box 146 Carmel, CA 93921

Major John Welsh AFHRL/MOAN Brooks AFB, TX 78223 Dr. Douglas Wetzel Code 51 Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. Rand R. Wilcox University of Southern California Department of Psychology Los Angeles, CA 90089-1061

German Military Representative ATTN: Wolfgang Wildgrube Streitkraefteamt D-5300 Bonn 2 4000 Brandywine Street, NW Washington, DC 20016

Dr. Bruce Williams
Department of Educational
Psychology
University of Illinois
Urbana, IL 61801

Dr. Hilda Wing NRC MH-176 2101 Constitution Ave. Washington, DC 20418

Dr. Martin F. Wiskoff Defense Manpower Data Center 550 Camino El Estero Suite 200 Monterey, CA 93943-3231

Mr. John H. Wolfe Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. George Wong Biostatistics Laboratory Memorial Sloan-Kettering Cancer Center 1275 York Avenue New York, NY 10021

Dr. Wallace Wulfeck, III Navy Personnel R&D Center Code 51 San Diego, CA 92152-6800 Dr. Kentaro Yamamoto 03-T Educational Testing Service Rosedale Road Princeton, NJ 08541

Dr. Wendy Yen CTB/McGraw Hill Del Monte Research Park Monterey, CA 93940

Dr. Joseph L. Young National Science Foundation Room 320 1800 G Street, N.W. Washington, DC 20550

Mr. Anthony R. Zara National Council of State Boards of Nursing, Inc. 625 North Michigan Avenue Suite 1544 Chicago, IL 60611

Dr. Peter Stoloff Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268